



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

105 South Meridian Street  
P.O. Box 6015  
Indianapolis 46206-6015  
Telephone 317/232-8603

August 17, 1990

Ms. Carla J. McNabb, Property Manager  
Sanyo North America Corporation  
1751 Sheridan Street  
Richmond, Indiana 47374

EPA Region 5 Records Ctr.



348896

Re: NPDES Permit No. IN 0049972  
Sanyo North America Corporation  
Richmond, Indiana

Dear Ms. McNabb:

This agency has reviewed your request of July 27, 1990, for voidance of the above-referenced permit. Since this facility no longer performs manufacturing operations at this location but utilizes this building as a warehouse only, an NPDES Permit is no longer required.

Therefore, I hereby declare National Pollutant Discharge Elimination System Permit No. IN 0049972 issued April 1, 1989 to be null and void.

Pursuant to IC 4-21.5-3-2(e) and IC 4-21.5-3-6(d), the determination of voidance in this letter becomes effective eighteen (18) days after it is served by U.S. mail. A party affected or aggrieved by this decision may appeal and must do so within eighteen (18) days after the date of mailing of this letter by filing a request for an adjudicatory hearing with the Technical Secretary. Any appeal request must be filed in accordance with IC 4-21.5-3-7 and must include facts demonstrating that the party requesting appeal is the applicant, a person aggrieved or adversely affected by this voidance or otherwise entitled to review by law. Pursuant to IC 13-7-10-5(b), this decision shall remain in force pending a decision on any appeal that has been timely requested under the provisions of IC 4-21.5.

You are reminded that any future discharge to public waters must be preceded by submission of an NPDES Permit application 180 days prior to the commencement of such discharge.

Sincerely,

David P. Nelsen  
Assistant Commissioner  
Office of Water Management

CLT/dj

cc: U.S. Environmental Protection Agency Region V  
Permit Section  
Wayne County Health Department